

## Cisco Unified IP Phone 500 Series: Cisco Unified IP Phones 521G, 521SG, 524G, and 524SG

### Product Overview

The Cisco® Unified IP Phone 500 Series is a new group of affordable, entry-level IP phones designed for use with Cisco's Unified Communications 500 Series for Small Business. These phones are an excellent choice for customers making the transition from traditional digital or hybrid key systems (KTS) and private branch exchanges (PBXs) to a system based on the Cisco Unified Communications 500 Series. The Cisco Unified IP Phone 500 Series can easily be integrated into the Cisco Smart Business Communications System. They can be used in cubicles, retail settings, classrooms, breakrooms, lobbies, and manufacturing areas. The phones are optimized to replace traditional voice systems or transition to a next-generation voice solution in a Category 5 (CAT5) wired environment. The 521SG and 524SG phones offer customers the additional option of having a 10/100 switch port for LAN connection to a co-located PC. For customers with no need for a co-located PC, the 521G and 524G models can be used.

**Figure 1.** Cisco IP Phones 500 Series



The Cisco Unified IP Phones 521G and 521SG are single-line IP phones with two call line appearances. The Cisco Unified IP Phones 524G and 524SG are four-line IP phones with up to eight call line appearances. Four dynamic soft keys on each phone guide you through core business features and functions, while a backlit pixel-based display combines intuitive features, calling information, and device system information to give you information at your fingertips. The Cisco Unified IP Phones 521G, 521SG, 524G, and 524SG can be powered by a network switch with Power over Ethernet (PoE) capability or by an optional power adapter. The phones are in line with Cisco Green, incorporating power efficiency features such as LCD shutoff to save power when the phone is not in use. These phones can also be used with productivity-enhancing features such as directory search and VoiceView Express.

## Features

The Cisco Unified IP Phone 500 Series can easily grow with your business. The phones are capable of having new feature functionality added over time via firmware updates. Plus, if you hire an employee or an employee needs to move locations, they can simply plug in their preconfigured phones anywhere on the network, and the network will recognize the change. The phones also provide accessibility features for those with special needs.

Tables 1 through 6 present the features, specifications, and compliance information for the Cisco Unified IP Phone 500 Series. Table 7 provides ordering information, and Table 8 lists optional accessories for these phones.

**Table 1.** Features

Feature	Benefit
<b>Lighted line keys</b>	Four illuminated call appearance line buttons with tricolor LEDs (Cisco 524G/524SG)
<b>Hold key</b>	Puts current call on hold
<b>Menu key</b>	Accesses call history, directory, network settings, user preferences, reboot, restart, and factory reset
<b>Lighted mute key</b>	Lights up red when the call is on mute, and turns off when mute is removed
<b>Lighted headset key</b>	When pressed, lights up when using a 2.5-mm headset for hands-free calling
<b>Lighted speakerphone key</b>	Activates full-duplex speakerphone; stays lit while speakerphone is on
<b>Lighted message waiting indicator</b>	Lights when there is new voicemail and is visible on the phone chassis above the LCD screen; stays lit until the new voicemail has been processed by the user
<b>Graphical display</b>	Backlit pixel-based display: 128 x 64 monochrome LCD graphical display
<b>Four soft-key buttons and a scroll toggle bar</b>	Dynamically present calling options to the user; the scroll toggle bar allows easy movement through the displayed information
<b>Network features</b>	Cisco Discovery Protocol, IEEE 802.1p/q tagging and switching
<b>Ethernet switch</b>	The Cisco 521SG and 524SG models have a 10/100 PC switch port that enables LAN connectivity to a co-located PC. The system administrator can designate separate virtual LANs (VLANs) (802.1q) for the PC and Cisco Unified IP Phones, providing improved security and reliability of voice and data traffic.
<b>Volume control</b>	Volume-control toggle provides easy decibel-level adjustments of the handset, monitor speaker, and ringer
<b>Single-position foot stand</b>	Optimum display viewing and comfortable use of buttons and keys; the foot stand can be removed for wall mounting with mounting holes located on the base of the phone
<b>Multiple ring tones</b>	More than 24 user-adjustable ring tones
<b>American Disabilities Act (ADA) features</b>	Hearing-aid-compatible (HAC) handset that meets ADA requirements; also meets ADA HAC requirements for a magnetic coupling to approved hearing aids. The phone dialing pad also complies with the ADA.
<b>Signaling protocol support</b>	Supported in Cisco Unified Communications Manager Express versions 4.2.6 and above using Smart Phone Control Protocol (SPCP)
<b>Codec support</b>	G.711a, G.711, G.729a, G.729b, and G.729ab audio-compression codecs
<b>Configuration options</b>	Provisioning of network parameters through Dynamic Host Configuration Protocol (DHCP)
<b>Voice quality</b>	Comfort-noise generation and voice-activity-detection (VAD) programming on a system basis

**Table 2.** Software and Physical Specifications

Item	Description
<b>Firmware upgrades</b>	Download firmware changes from Cisco.com
<b>Software upgrades</b>	Software upgrade supported using a Trivial File Transfer Protocol (TFTP) server
<b>Dimensions (H x W x D)</b>	6.30 x 7.68 x 7.09 in. (160 x 195 x 180 mm)
<b>Weight</b>	2.15 lb (0.9752 kg)
<b>Phone casing composition</b>	Polycarbonate acrylonitrile butadiene styrene (ABS) plastic in textured dark gray with silver-colored bezel

**Table 3.** Power Options

Item	Description
<b>IEEE 802.3af PoE</b>	Can receive power from IEEE 802.3af-compliant network modules
<b>Local power</b>	Can optionally be powered locally with the AC power adapter listed in Table 4

**Table 4.** Regional AC Power Supplies

Part Number	Description
<b>CP-500-PWRSUPPLY=</b>	Cisco Unified IP Phone 500 Series Universal Power Adapter

**Table 5.** Temperature Ratings

Item	Description
<b>Operating temperature</b>	41°to ~113°F (5°to ~40°C)
<b>Relative humidity</b>	10 to ~90% noncondensing
<b>Storage temperature</b>	-13°to ~185°F (-25°to ~85°C)

**Table 6.** Certifications

Item	Description
<b>Regulatory compliance</b>	CE Marking
<b>Safety</b>	<ul style="list-style-type: none"> <li>• Underwriters Laboratories (C-UL) 60950</li> <li>• EN 60950</li> <li>• IEC 60950</li> <li>• AS/NZS 60950</li> </ul>
<b>Electromagnetic compatibility</b>	<ul style="list-style-type: none"> <li>• Federal Communications Commission (FCC) Part 15 (CFR 47) Class B</li> <li>• ICES-003 Class B</li> <li>• EN 55022 Class B</li> <li>• CISPR22 Class B</li> <li>• AS/NZS CISPR 22 Class B</li> <li>• CISPR 24</li> <li>• EN55024</li> <li>• EN 50082-1</li> <li>• EN 61000-3-2</li> <li>• EN 61000-3-3</li> <li>• EN 61000-6-1</li> </ul>
<b>Telecom</b>	<ul style="list-style-type: none"> <li>• FCC Part 68 (CFR47) HAC</li> <li>• TIA 810A</li> </ul>

**Table 7.** Ordering Information

Part Number	Description
<b>CP-521G=</b>	Cisco Unified IP Phone 521G, spare
<b>CP-524G=</b>	Cisco Unified IP Phone 524G, spare
<b>CP-521SG=</b>	Cisco Unified IP Phone 521SG, spare (includes 10/100 PC switch port)
<b>CP-524SG=</b>	Cisco Unified IP Phone 524SG, spare (includes 10/100 PC switch port)

**Table 8.** Optional Accessories

Part Number	Description
<b>CP-500-WALLMOUNT=</b>	Non-locking wall-mount kit
<b>CP-500-HANDSET=</b>	Spare phone handset

## Warranty

Cisco Unified IP Phones are covered by a Cisco standard one-year hardware warranty.

## Service and Support: Protect and Secure Your Investment

Designed for small and medium-sized businesses running the Cisco Smart Business Communications System (SBCS), Cisco SMARTnet<sup>®</sup> Service helps you resolve problems and protect and secure your SBCS phones. Delivered by your trusted partner and backed by Cisco, this industry-leading support solution provides greater availability while reducing operating costs.

Cisco SMARTnet Service for your phones, along with Cisco SMARTnet for SBCS for your complete data, voice, and wireless IT system, gives the ultimate in asset protection and is simple, affordable, and complete. Cisco SMARTnet Service offers a range of dependable choices for fast access to business-critical parts and service delivery options according to your preferences and needs. Choose from a variety of hardware replacement options, including premium options such as 2-hour, 4-hour, or next business day, as well as onsite parts replacement and installation. For rapid issue resolution anywhere, anytime, Cisco SMARTnet Service is the right choice for your business communication needs.

The Cisco Unified IP Phone 500 Series can be sold by Cisco partners who hold a Cisco Select Certification or higher, and can be supported by the Cisco Technical Assistance Center (TAC) via SMARTnet contract. For more information about the Cisco Unified IP Phone 500 Series or the Cisco Smart Business Communications System, visit [www.cisco.com/go/sbcs](http://www.cisco.com/go/sbcs) or contact your local partner or account representative.

**Table 9.** Cisco SMARTnet Services

Part Number	Description
CON-SNT-CP521G	8 x 5 x NBD
CON-SNTE-CP521G	8 x 5 x 4
CON-SNTP-CP521G	24 x 7 x 4
CON-SNT-CP524G	8 x 5 x NBD
CON-SNTE-CP524G	8 x 5 x 4
CON-SNTP-CP524G	24 x 7 x 4
CON-SNT-CP521SG	8 x 5 x NBD
CON-SNTE-CP521SG	8 x 5 x 4
CON-SNTP-CP521SG	24 x 7 x 4
CON-SNT-CP524SG	8 x 5 x NBD
CON-SNTE-CP524SG	8 x 5 x 4
CON-SNTP-CP524SG	24 x 7 x 4



**Americas Headquarters**  
Cisco Systems, Inc.  
San Jose, CA

**Asia Pacific Headquarters**  
Cisco Systems (USA) Pte. Ltd.  
Singapore

**Europe Headquarters**  
Cisco Systems International BV  
Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

CCDE, CCENT, Cisco Eos, Cisco Lumin, Cisco Nexus, Cisco StadiumVision, Cisco TelePresence, the Cisco logo, DCE, and Welcome to the Human Network are trademarks; Changing the Way We Work, Live, Play, and Learn and Cisco Store are service marks; and Access Registrar, Aironet, AsyncOS, Bringing the Meeting To You, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, CCVP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Collaboration Without Limitation, EtherFast, EtherSwitch, Event Center, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, IQ Expertise, the IQ logo, IQ Net Readiness Scorecard, iQuick Study, IronPort, the IronPort logo, LightStream, Linksys, MediaTone, MeetingPlace, MeetingPlace Chime Sound, MGX, Networkers, Networking Academy, Network Registrar, PCNow, PIX, PowerPanels, ProConnect, ScriptShare, SenderBase, SMARTnet, Spectrum Expert, StackWise, The Fastest Way to Increase Your Internet Quotient, TransPath, WebEx, and the WebEx logo are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0807R)