

B&W Production Printer

RICOH Pro 8100S/8110S/ 8120S

✓Printer ✓Copier ✓Scanner

RICOH
imagine. change.



Pro 8100S

95
ppm
Mono
Chrome

Pro 8110S

110
ppm
Mono
Chrome

Pro 8120S

135
ppm
Mono
Chrome

High impact, low-cost production workflow

The Ricoh Pro 8100S Series black-and-white production printer offers a combination of power and versatility to deliver high-quality output that impresses system operators as much as customers. Take advantage of easy-to-use controls and advanced print technology to perform a wide range of commercial corporate production tasks with incredible precision in less time. Designed to print quickly on diverse media, the Ricoh Pro 8100S, 8110S or 8120S will add capacity to your workflow contributing to your bottom line. Select it as the primary device in production-class print environments, or integrate it with an extensive Ricoh Managed Document Services (MDS) strategy.

- Produce up to 135 black-and-white pages per minute
- Create compelling images with up to 1,200 x 4,800 dpi resolution
- Handle a wide range of media up to 330 x 487 mm
- Distribute documents freely with advanced scanning capabilities
- Access to 8,850 sheets for outstanding paper capacity
- Complete more jobs in-line for greater productivity



Innovative technology delivers high quality and efficiency



Create with clarity

Take advantage of high quality resolution to produce reports, booklets, newsletters and more with crisp text and images. Its innovative Vertical Cavity Surface Emitting Laser (VCSEL) technology produces 1,200 x 4,800 image resolution from a 40-beam laser for precise front-to-back registration. Plus, it maintains exceptional alignment on each page for booklets, postcards, business cards and other two-sided documents.

Reliable output under control

The Ricoh Pro 8100S Series delivers consistent image quality with unwavering reliability. Featuring an indirect image transfer mechanism to minimise scratch marks, toner scattering and shock jitter to economically produce near-offset quality output. The oil-free fusing unit transfers images seamlessly from thin to thick paper stocks without streaking. This high performance device also features a single-pass document feeder that enables users to scan both sides of an A4 document at 220 images per minute.



Superior image control

Enhance documents with smooth and accurate output. The Ricoh Pro 8100S Series uses Ricoh's innovative pulverised toner, with smaller, more uniform particles to create sharper images and smoother halftones. The result: supreme image quality and consistent results. New Process Control technology and stability of image density maintains print quality - even on long runs. Plus, it offers reduced costs: by fusing at a lower temperature it requires less energy and its lower pile height means toner lasts longer.

Fast-paced production for demanding workloads

Operate with ease

The Pro 8100S Series includes several unique features designed specifically to simplify production tasks. The large control panel offers thumbnail views, previews and versatile editing controls. It's raised to give users immediate access while keeping them in a comfortable working position. An Operator Call Light extends from the top of the device so users can be alerted quickly—even from across the room—that the device requires attention for low supply levels or other service needs. An Active Tray Indicator Light on each paper tray signals which one is in use, so refills can be completed without interrupting print runs.



Extend print runs

Keep pace with the most aggressive production demands. The Ricoh Pro 8100S Series is engineered to pack a wide range of features into compressed production room spaces. It prints up to 135 pages per minute for incredible throughput, with duty cycle runs of up to three million prints per month. Intelligent controls maintain optimal temperatures to reduce static electricity and optimise paper-sensing sequencing for maximum uptime.

Unrelenting productivity and efficiency

Turn productivity into potential profits. The RICOH Pro 8100S Series simplifies and expedites maintenance tasks to keep workflow moving. Trained users can replace key components and consumables – including drums, rollers, fusing units and more — in only a few minutes without technical assistance. In fact, with the twin toner bottle mechanism, depleted toner bottles can be replaced without any print interruptions.



Designed to exceed your needs

Automated, end-to-end finishing

Bring more jobs in-house. The Ricoh Pro 8100S Series offers extensive in line finishing options to manage professional-grade documents from input to output, with less manual labour. A redesigned finishing interface dramatically reduces the time between job runs. It delivers fully automated stapling, hole punching, saddle stitching, cover insertion, de-curling and more for faster turnarounds. An impressive ring binder accepts oversized paper and thicker stocks. The booklet finisher features a limitless output mode for virtually non-stop output. In addition, the system offers multiple-page folding for direct mail and other output.



Handle more types of media

Ample paper capacity of 8,850 sheets is bolstered by diverse media handling that can print on paper up to 330 mm x 487 mm. Print postcards with thicker stocks up to 300 gsm for standard output and up to 300 gsm for duplex. The Ricoh Pro 8100S Series accommodates textured, heavy-coated and other special stocks automatically - including envelopes. A robust Paper Library features preset and fully customisable paper settings. The library also includes more than 60 frequently used printing attributes to ensure reliability and productivity.

Versatile controllers

With a choice of two controllers, the Ricoh Pro 8100S Series caters to your print environment's specific needs.

- The GWNX Controller, which comes standard, offers everyday simplicity and versatility to production output. Stable and functional, it supports basic job management and binding, along with the ability to print from driver, USB or SD card, making it a cost-effective solution for budget-conscious departments.
- The Fiery EB-32 Controller offers end-to-end automated workflows for advanced print management to expedite and simplify production printing. Based on EFI's popular server technology, this digital front end supports a wide range of capabilities including Advanced Job Re-order, Tab Inserts and more. The Controller's Paper Catalog feature automatically integrates with the Pro 8100S Series' Paper Library function to instantly synchronise custom paper settings.



Take advantage of innovative features to improve productivity

1 CI5030 Cover Interposer Tray (Optional):

Feed pre-printed sheets from two sources for front and back covers.

2 SR5050 3,000-Sheet Staple Finisher (Optional):

Achieve 100-sheet stapling with the ability to output documents up to 330 x 487 mm. Add the optional Hole Punch Unit for even more flexibility.

3 SR5060 2,500-Sheet Booklet Finisher (Optional):

Produce stapled and saddle-stitched booklets cost-effectively with the in line Booklet Finisher. Also available with an optional Booklet Trimmer Unit and Hole Punch Unit.

4 FD5020 Multi-Folding Unit (Optional):

Execute Z-folds, half folds, gatefolds and more to create a variety of finished documents.

5 DU5030 Decurl Unit (Optional):

Promote more accurate stacking and higher throughput by reducing the risk of paper curling.

6 220-Sheet Automatic Document Feeder (Standard):

Copy and scan jobs more efficiently with single-pass colour duplex scanning—up to 220 ipm (in duplex mode). A built-in sensor also prevents missing pages caused by original double feeding.

7 BY5010 Multi Bypass Tray (Optional):

Feeds up to 550 sheets of special paper stocks and sizes for expanded system capacity and document output types.

8 Full-Colour, 10.4" SVGA Control Panel (Standard):

Easily navigate from job to job with fingertip control via the post-mounted, intuitive screen.

9 Operator Call Light (Standard):

Visually alert operators to changes in system status for prompt attention.

10 Oversize and Heavy Media Support:

Accepts 330 x 487 mm paper sizes and heavy media (up to 300 gsm Cover through the RT5080 LCT) to give you many more options for in-house production.

17
16
15
3
2



11 Paper Trays (Standard):

Standard paper sources include the tandem 2 x 1,100 Sheet Paper Tray and 2x 550-Sheet Paper Trays for a total paper capacity of 3,300 sheets. With additional paper sources, this system can hold up to 8,850 sheets.

12 RT5080 and RT5070 Large Capacity Trays (Optional):

For maximum versatility, select the RT5080 4,400-Sheet LCT to reliably feed up to 300 gsm Cover stock and up to 330 x 487 mm sheets. Or, choose the RT5070 5,000-Sheet LCT to handle paper sizes up to A4 and up to 216 gsm.

13 Active Tray Indicators (Standard):

Indicator light shows which tray is in use, allowing operators to refill other paper sources while the system is running.

14 RB5020 Ring Binder (Optional):

Automatically collate, hole punch, insert and close rings in line for up to 100-sheet documents with no manual intervention.

15 GB5010 Perfect Binder (Optional):

Glue-bind up to 200 sheets/booklet, including covers up to 300 gsm, along with three-edge trimming for truly professional looking documents.

16 GBC StreamPunch™ Pro EX (Optional):

Create professional quality bound books with in line punching in a variety of patterns.

17 Plockmatic BK5030 Booklet System (Optional):

Makes booklets with up to 30 sheets (120 pages) with optional three-sided trimming and square fold.

18 Versatile Controller Support (Standard):

The standard embedded print controller helps meet your unique printing and workflow requirements most efficiently. The embedded controller supports PCL5e/6 as standard PDL. Optional genuine Adobe PostScript 3 and genuine IPDS are available to integrate seamlessly into almost any host environment with incredible reliability and page-recovery capabilities.

19 Fiery EB-32 Controller (Optional):

Enjoy end-to-end automated workflows for advanced print management with a new fiery EB 32 Controller. Based on EFI's popular fiery server technology, it supports a wide range of capabilities including Advanced Job Re-order, Tab Inserts and more.



Ricoh Pro 8100S Series

Manage jobs with ease, protect them with advanced controls

Extend into new markets

The Enhanced Paper Library holds over 200 profiles that have been tested and proven by Ricoh. There's a custom library for personalised media profiles along with a back-up capacity for an additional 1,000 profiles. Whether you're a corporate reprographic centre, commercial printer, print-for-pay or agency, the media support, teamed up with the Ricoh Pro 8100S Series' heavy duty cycle, superb output and inline finishing will broaden your offering to customers.



Protect documents as well as your fleet

The Ricoh Pro 8100S Series includes a host of features to simplify fleet management and security tasks. Administrators can take advantage of Ricoh's @Remote solution to collect meter data, receive toner and service alerts automatically and generate critical reports. User authentication controls ensure that only authorised owners can access print jobs with sensitive information. Secure Socket Layer (SSL) technology protects data from interception, analysis and tampering. The DataOverwriteSecurity System (DOSS) automatically overwrites any files on the hard drive to render them unreadable. HDD encryption adds another layer of protection against hackers.

Versatility that can be seen and shared

Reduce operating costs by managing a wider range of document tasks using a single versatile device. The powerful Ricoh Pro 8100S Series includes a scan-to-email, folder, URL, PDF and more, so documents can be distributed simultaneously for faster, more affordable communications. Search PDF files via keywords with the embedded Optimised Character Recognition (OCR) option. In addition, the Ricoh Pro 8100S Series allows users to print files from or scan to USB or SD cards for convenient media printing while on the move.





Powerful solutions for your workflow

Optimum yet flexible solutions for your print environment

Ricoh's TotalFlow is where software, services and skills come together in a portfolio of flexible and powerful one-stop print management solutions that will save you time and money, while also reducing wasted resources, whatever your print environment. Drawing on a rich heritage of continuous research and development, Ricoh TotalFlow brings together a comprehensive and market leading portfolio of flexible and powerful end-to-end output management solutions. Developed by Ricoh as well as through strategic third party developers, Total Flow can streamline your entire production output process from commercial print to CRD to high volume transactional print.

Capture

Capture regular and new print opportunities using web-to-print and job submission tools that help move you towards a fully automated production process. This will enable you to interact more efficiently with your clients, saving time for both parties.

Prepare

Prepare to drive print efficiency with variable data and print data stream transformation solutions. Prepare files for production with document imposition and composition tools, all the while boosting productivity, reducing production time and driving profitability.

Manage

Manage jobs across multiple printing systems, automating workflow with a suite of streamlining solutions to optimise productivity and meet tight deadlines. Make last minute document changes and automatically prepare for split colour and black and white production and produce complex document production faster and more efficiently.

Output

Output from the new Ricoh Pro C8100S Series boosts your value-added services with versatile, scalable solutions that embrace production systems. It improves output capabilities with high quality cost-effective print solutions to gain new business.

Protect

Protect your most valuable assets with a host of innovative features. Take advantage of authentication controls to help ensure only authorised users have access to key functionality and printed output. In addition, the device includes the DataOverwriteSecurity System (DOSS), automatically overwriting any files on the hard drive to render them unreadable. HDD encryption adds another layer of protection against hackers.

Finish it off inline to boost your print room's performance

A4/A3 Large Capacity Tray (LCT)

- Accommodates up to 4,400 sheets of 330 X 487 mm stock (A3 LCT)
- Provide for A4 input to add 5,000 sheets to your input capacity (A4 LCT)
- Wide range of paper types and paper sizes
- Paper weights between 52.3 to 216 gsm (A4 LCT)/40 to 300 gsm (A3 LCT)



3,000 Sheet Finisher

- 100 sheet stapling
- Stack capability of 3,000 sheets
- Up to 330 X 487 mm size capability
- Punching on 135 pages per minute



2,500 Sheet Booklet Finisher plus Trimmer

- Up to 330 X 487 mm size capability
- Stack up to 2,500 sheets weighted 52.3-216 gsm
- 100 sheet staple and 20 sheets for saddle-stitch
- Create professional books with optional One Side Edge Trimmer



Decurl Unit

- Ideal for commercial printers who frequently produce jobs with high toner coverage on thin paper and paper with long grain
- Significantly reduce the natural curl that can occur and deliver sheets with optimal flatness



Multi-Folding Unit

- Choose from six professional folding patterns to accommodate any folding needed inline
- Accommodate media included coated stock between 64 to 105 gsm



Perfect Binder

- Fully automated Perfect Binding with one/three side trimming function
- Maximum binding capacity of 200 sheets/booklet
- Accepts over sized stock for body pages
- Glued books could be produced inline with maximum efficiency
- Cover Inserter supports up to 300 gsm



Cover Interposer Tray

- 2-Tray Cover Interposer can be attached
- Feed media up to 330 X 487 mm size from two inserting trays
- Capacity of up to 200 sheets per tray



Ring Binder

- Fully automated to save time and labour costs
- Two size consumable rings for 50 or 100 sheets available
- Load up to 75 sets of rings into the easy to refill cartridge
- Black and white coloured rings available



Plockmatic Booklet Maker

- Maintains full rated engine speed
- Supports paper sizes A4 to 320-457.2 mm
- Capacity to handle paper weights 64 to 300 gsm
- Include pre-printed covers when configured with Cover Feeder Option



GBC StreamPunch EX

- Punch a full range of media types at full rated speed
- Duty cycle of up to 600,000 sheets per month
- Up to 4,000,000 punched pages using heavy duty die sets



Why choose Ricoh

A digital one-stop-shop

Ricoh's products, service, support and training offer a one-stop-shop for your digital print environment. Our national network of production specialists will partner with you to understand your business needs, challenges and strategy to develop a tailored solution to your business that combines hardware, software, service and training.

Knowledge is power

The best way to get the most out of your Ricoh device is through professional, customised training provided by Ricoh Production Services. While the device is being installed in your print room, operators receive hands-on, tailored training in our Production Education Centre, ensuring they are fluent in everything that the Ricoh Pro 8100S Series has to offer, as well as any other integrated finishing and software solutions.

Responsive service and training

In today's competitive market, Ricoh's team of production specialists are on hand to keep you up and running. Maximum productivity is assured with Ricoh's fast-response service. Most issues are quickly resolved with a phone call and the average time for our onsite service is under 2 hours.

Customised training is provided onsite or through our purpose-built Production Education Centre. Located within the Ricoh Printing Innovation Centre, it's fully equipped with all of Ricoh's production devices and software for effective, relevant and tailored operator training.

Leading you to a more sustainable future

Do more work using less energy. The Ricoh Pro 8100S Series offers several features to reduce Typical Energy Consumption (TEC), including new pulverised low melt toner. Standard one-pass duplex scanning saves steps and energy to maximise efficiency. Many internal components are engineered with non-toxic, plant-based plastics to reduce the system's carbon footprint.

Print carbon neutral

Partner with a certified carboNZero organisation: Ricoh Australia will offset the greenhouse gas (GHG) emissions caused by customer use of select new equipment, including the Ricoh Pro 8100S Series.* This carboNZero certified service is available to customers who deal through Ricoh Australia, finance qualifying equipment from Ricoh Finance, agree to automated meter reading and participate in Ricoh's Consumable Recycling Program.

* Go to www.ricoh.com.au/carbonneutral for further information and the service disclosure statement.

Walk in our
footprint



Ricoh Pro 8100S Series

SPECIFICATIONS

Specifications

Technology	1-drum dry electrostatic transfer system with internal transfer belt Oil-less belt fusing method
Fusing	2GB RAM / 500GB (250 x 2) HDD
System Memory	Standard 200-Sheet ADF with single-colour duplex scanning
Document Feeder	Full-colour 10.4" SVGA touch panel
Control Panel	Up to 1200 x 4800 dpi
Resolution	Sensor and Mechanical
Paper Registration	1 - 9,999
Quantity Indicator	Up to 297 x 432 mm (from platen)
Original Size	Less than 360 sec. (from main switch)
Warm-Up Time	Pro 8100S/8110S/8120S: 11sec.
Sleep to Scan	Pro 8100S: 6.3 sec.
First Copy Speed	Pro 8110S: 5.6 sec.
	Pro 8120S: 4.6 sec.
Output Speed:	Pro 8100S: 95 ppm
	Pro 8110S: 110 ppm
	Pro 8120S: 135 ppm
ADF Speed:	Simplex 110 ppm
	Duplex: 220 ppm B&W or Full-colour
Paper Capacity	Tray 1: 1,100 x 2
	Trays 2 - 3: 550 x 2
	Total Standard: 3,300 sheets
	Max. Capacity: 8,850 sheets
Paper Size	Tray 1 - 3: A4
	Trays 2 - 3: A5 - A3
	Trays 1 - 3: 52 - 256 gsm
Paper Weight	7 reduction and 5 enlargement
Magnification	25% to 400% in 1% increments
Zoom	220-240V/50/60Hz
Power Requirements	1,320 x 1,100 x 1,460 mm
Dimensions (WxDxH)	415 kg
Weight	

Printer Specifications (Standard)

CPU	Intel® Celeron® Processor P4505 - 1.86 GHz
RAM	2 GB
HDD	500 GB (250 GB x 2)
Max Print Resolution	1200 x 4800 dpi via VCSEL
Standard Interfaces	Ethernet (1000/100/10Base-TX), USB2.0 Type A/Type B, SD slot
Optional Interfaces	IEEE 1284/ECP, Wireless LAN (IEEE802.11a/b/g/n), Bluetooth
Network Protocol	TCP/IP (IPv4, IPv6), IPX/SPX (with NetWare option), AppleTalk
Network Operating Systems	Windows XP/Vista/7/Server 2003/Server 2003R2/Server 2008/Server 2008R2; NetWare 6.5; UNIX Sun Solaris, HP-UX, SCO OpenServer, RedHat Linux, IBM AIX; MAC OS X 10.2 or later; SAP R/3; NPDS Gateway; IBM iSeries AS/400 using OS/400 Host Print Transform
Print Drivers	Standard: PCL5c, PCL6 (XL), PDF, XPS Optional: Adobe PS3, IPDS

Document Server Specifications (Standard)

Max. Stored Documents	5,000
Max. Pages per Document	1,000
Max. Stored Pages	15,000
Folder Management	With password, up to 200 personal folders

Fiery EB-32

Controller type	Server Type
Fiery Platform	Fiery FS100 Pro
Maximum Continuous print speed	Pro 8100S: 95 ppm
	Pro 8110S: 110 ppm
	Pro 8120S: 135 ppm
CPU	Intel Processor G850 2.9GHz
HDD	500GB
Memory	4GB
Operating System	Windows 7 Professional for Embedded Systems x32/x64
Network Protocol	TCP/IP (IPv4, IPv6), SMB
PDL	PostScript 3, PCL 5e, PCL 6
Supported Data Format	PDF, TIFF, JPEG
VDP	PPML v.3.0, Fiery Free Form v.1/v.2.1, PDF/V-T1, PDF/V-T2
Print Resolution	1200 x 1200 dpi
Service Interface	USB x 5 (Front 1, Back 4)
Network Interface Ethernet	1000/100/10Base-T x2
Font	PS3: 138/PCL: 81
Dimension (W x D x H)	140 x 345 x 320 mm
Weight	6.8kg
Max. Power Consumption	180W

Accessories

RT5080 A3/DLT Large Capacity Tray (LCT)

Paper Capacity	5,000 sheets
Paper Size	Up to 330 x 487 mm
Paper Weight	52 - 300 gsm
Size (WxDxH)	865 x 730 x 1000 mm
Weight	185 kg

RT5070 A4/LT Large Capacity Tray (LCT)

Paper Capacity	5,000 sheets
Paper Size	A4
Paper Weight	52 - 216 gsm
Size (WxDxH)	540 x 730 x 1,000 mm
Weight	106 kg

BY5010 Multi Bypass Tray

Paper Capacity	550 sheets
Paper Size	Up to 330 x 487 mm
Paper Weight	52 - 216 gsm
Size (WxDxH)	690 x 561 x 210 mm
Weight	20 kg

CI5030 2 Source Cover Interposer

Paper Size	A5 - 330 x 487 mm
Paper Weight	64 - 216 gsm
Stack Capacity	200 sheets x 2 trays
Size (WxDxH)	540 x 730 x 1290 mm
Weight	45 kg

SR5050 3,000-Sheet Finisher with 100-Sheet Stapler

Capacity (Proof Tray)	250 sheets (A4 or smaller) 50 sheets (B4 or larger)
Capacity (Shift Tray)	A4 - 3,000 sheets
Paper Size	A5 - 330 x 487 mm
Paper Weight	Proof Tray: 52 - 216 gsm Shift Tray: 40 - 300 gsm
Staple	A4 - 2-100 sheets
Staple Position	Top, Bottom, 2 Staples, Top Slant
Size (WxDxH)	996 x 730 x 1126 mm
Weight	112 kg

SR5060 2,500-Sheet Booklet Finisher

Capacity (Proof Tray)	250 sheets (A4 or smaller) 50 sheets (B4 or larger)
Capacity (Shift Tray)	A4 - 2,500 sheets
Paper Size	A5 - 330 x 487 mm
Paper Weight	Proof Tray: 52 - 216 gsm Shift Tray: 40 - 300 gsm
Staple	A4 - 2-100 sheets B5 - A3 - 2-50 sheets
Staple Position	Top, Bottom, 2 Staples, Top Slant
Saddle Stitch Staple	A4 - 330 x 487 mm - 20 sheets; Center 2 Position
Size (WxDxH)	996 x 730 x 1126 mm
Weight	112 kg

TR5040 Booklet Trimmer

Trimming Type	One Side Edge
Trimming Capacity	1-20 sheets (2-40 pages after folding)
Paper Size	Up to 330 x 487 mm
Stack Capacity	Up to 60 sets
Limitless Stack	Yes
Size (WxDxH)	1,115 x 591 x 555 mm
Weight	75 kg

FD5020 Multi-Folding Unit

Folding Type:	Single Sheet Mode: Z-Fold, Half-Fold/Print inside/outside, Letter Fold-in/Print inside/outside, Letter Fold-out, Double Parallel/Print inside/outside, Gate-Fold/Print inside/outside
	Multiple Sheets Mode: Half-Fold Print inside/outside, Letter Fold-in Print inside/outside, Letter Fold-out
Paper weight:	Single sheet mode 64 - 105 gsm; Multiple sheet mode 64 - 80 gsm
Size (WxDxH)	470 x 730 x 1,000 mm
Weight	92 kg

RB5020 Ring Binder

Paper Size	A4
Paper Weight	64 - 216 gsm
Stack Capacity	Binding Mode: 11 sets; Punching Mode: 100 sheets
Ring Bind Capacity	2 - 100 sheets
Number of Holes	LTR - 21, A4 - 23
Ring Supply	Black or White, Up to 50 or 100 sheets
Tab Stock	Supported
Size (WxDxH)	870 x 730 x 1,010 mm
Weight	140 kg

GB5010 Perfect Binder

Booklet Size	Width: 201 - 297 mm Length: 140 - 216 mm Less than 23 mm
Booklet Thickness	10 - 200 sheets
Body Page Capacity	3 Edges, 1 Edge, None
Cutting Directions	Body Pages: 200 sheets (64 - 163 gsm)
Paper Weight	Cover Pages: 90 - 300 gsm
Stack Capacity/Booklet	50 sheets: 13; 100 sheets: 7; 200 sheets: 4
Size (WxDxH)	1,090 x 791 x 1,387 mm
Weight	350 kg

DU5030 Decurl Unit

Decurl Function	Three steps pressure adjustment (from operation panel)
Paper Size	Up to 330 x 487 mm
Paper Weight	40 - 350 gsm
Size (WxDxH)	71 x 509 x 181 mm
Weight	5 kg

GBC StreamPunch Pro EX

Paper Size	Punched A4LEF
Paper Weight	75 - 216 gsm
Die Sets	(3-hole Ring Bind, 11-hole Velo Bind, 19-hole Comb Bind, 21-hole Wire Bind 2:1, 32-hole WireBind 3:1, 32-hole ProClick, 47-hole Colour Coil)

BK5030 Plockmatic Booklet Maker

Max. Booklet Capacity	30 sheets (120 pages)
Finishing speed	Maintains rated engine speed
Media size	A4 - 320 x 457.2 mm
Paper Weight	64 - 300 gsm

Supply Yields

Toner:	Pro Toner 8100S 4 bottles/Ctn 82,000 per bottle* *6% fill on LTR size paper.
---------------	------------------------------------------------------------------------------------

For maximum performance and yield, we recommend using genuine Ricoh parts and supplies.

RICOH
imagine. change.

